


## WHAT WE SERVE...

- SMPS TRANSFORMER
- FERRITE TRANSFORMER
- ALL TYPE OF INDUCTOR
- LINE FILTER CHOCK
- DRUM COIL
- TOROIDAL COIL

## TRANSCORE MAGNATEK

+919408508931   info@transcoremagnatek.com   sales@transcoremagnatek.com

E-107,GIDC Estate, Electronic Zone, Sector-26, Gandhinagar-382028(Gujarat)INDIA



PQ2020  
PQ2620  
PQ2625


PQ3220  
PQ3225  
PQ3230

PQ3535  
PQ4040

Also we make as per customer specification data/sample

## Features :

- Inductance with winding as per user design.
- Primary inductance standard  $\pm 10\%$
- Leakage inductance below 3% of primary inductance.
- High flux density, low eddy current losses
- Transformer with multiple winding and multiple wire as per user design.



**EE19X8X5**

**EE20X10X5**

**EE25X9X6**

**EE25X13X7**

**EE28X10X11**

**EE35X14X9**

**EE36X11X18**


**EE42X21X15**

**EE55X27X21**

Also we make as per customer specification data/sample

## Features :

- Inductance with winding as per user design.
- Primary inductance standard  $\pm 10\%$
- Leakage inductance below 3% of primary inductance.
- High flux density, low eddy current losses
- Transformer with multiple winding and multiple wire as per user design.



**ETD2910**  
**ETD3411**  
**ETD39**




**ETD44**  
**ETD49**  
**ETD54**

**EER28**  
**EER4217**  
**EER4215**

Also we make as per customer specification data/sample

### Features :

- Inductance with winding as per user design.
- Primary inductance standard  $\pm 10\%$
- Leakage inductance below 3% of primary inductance.
- High flux density, low eddy current losses
- Transformer with multiple winding and multiple wire as per user design.




EFD15  
EFD25

EFD20  
EFD30

Also we make as per customer specification  
data/sample

## Features :

- Inductance with winding as per user design.
- Primary inductance standard  $\pm 10\%$
- Leakage inductance below 3% of primary inductance.
- High flux density, low eddy current losses
- Transformer with multiple winding and multiple wire as per user design.



RM-8  
RM-10  
RM-12

Also we make as per customer specification  
data/sample

### Features :

- Inductance with winding as per user design.
- Primary inductance standard  $\pm 10\%$
- Leakage inductance below 3% of primary inductance.
- High flux density, low eddy current losses
- Transformer with multiple winding and multiple wire as per user design.



# SOLAR ZATKA MACHINE TRANSFORMER



## ETD34



### TRANSCORE MAGNATEK

+91 9408508931   info@transcoremagnatek.com   sales@transcoremagnatek.com

E-107,GIDC Estate, Electronic Zone, Sector-26, Gandhinagar-382028(Gujarat)INDIA



**UU9.8**  
**UU10.5**  
**UU15.7**

**EE2506**  
**EE25X13X7**

Also we make as per customer specification  
data/sample

### Features :

- Inductance with winding as per user design.
- Primary inductance standard  $\pm 25\%$
- Leakage inductance below 3% of primary inductance.
- High flux density, low eddy current losses
- Transformer with multiple winding and multiple wire as per user design.





8X10 10X12 6x8  
8X12 10X16

Also we make as per customer specification data/sample

### Features :

- Inductance with winding as per user design.

### Application :

- Input & Output filter in power supply
- Led driver



## Features :

- High Permeability
- Minimum Leakage current
- Insulation up to 5kv
- Working frequency 1khz to 5mhz

## Application :

- IDEAL FOR SOLAR FENSE ENERGIZER
- EARTH LEAKEGE CIRCUITR BREAKER (ELCB CT)